

# Hazard Register



Type	Damper Roller Washing Machine	Location	
Make	MAKE UNKNOWN	Sale Number	9053335
Model	MODEL UNKNOWN	Lot Number	0004
Serial Number			

ID	Hazard Type	Hazard Description
142424.1	ENTANGLEMENT.	HAIR, CLOTHING, GLOVES, JEWELLERY, TOOLS, RAGS OR OTHER MATERIALS OR BODY PARTS MAY BECOME ENTANGLED WITH MOVING PARTS OF THE PARTS WASHER.
142424.2	CRUSHING.	FINGERS, HANDS AND OTHER BODY PARTS CAN BE CRUSHED DUE TO THE UNCONTROLLED OR UNEXPECTED MOVEMENT OF THE PARTS WASHER OR COMING IN CONTACT WITH THE MOVING PARTS OF THE PARTS WASHER DURING OPERATION, MAINTENANCE OR CLEANING; OR BEING TRAPPED BETWEEN THE PARTS WASHER AND MATERIALS OR FIXED STRUCTURES.
142424.4	SHEARING.	FINGERS, HANDS AND OTHER BODY PARTS CAN BE SHEARED BETWEEN TWO ROTATING PARTS OF THE PARTS WASHER, OR BETWEEN A PART OF THE PARTS WASHER AND A WORK PIECE OR STRUCTURE.
142424.5	FRICTION & ABRASION	HANDS, FINGERS AND OTHER BODY PARTS CAN BE BURNT DUE TO CONTACT WITH MOVING PARTS OR SURFACES OF THE PLANT, OR MATERIAL HANDLED BY THE PLANT.
142424.7	HIGH PRESSURE FLUID.	OPERATORS, BYSTANDERS AND MAINTENANCE PERSONNEL CAN COME IN CONTACT WITH FLUIDS UNDER PRESSURE, DUE TO PARTS WASHER FAILURE OR MISUSE OF THE PARTS WASHER.
142424.8	SLIP TRIP FALL	OPERATORS AND BYSTANDERS IN THE VICINITY OF THE PARTS WASHER CAN SLIP, TRIP AND/OR FALL DUE TO UNEVEN OR SLIPPERY WORK SURFACES; POOR HOUSEKEEPING INCLUDING SPILLAGES NOT BEING CLEANED UP; AND OBSTACLES BEING PLACED OR STORED IN THE VICINITY OF THE PARTS WASHER.
142424.9	ELECTRICAL.	OPERATORS, BYSTANDERS AND MAINTENANCE PERSONNEL CAN BE INJURED BY ELECTRICAL SHOCK OR BURNT DUE TO THE OVERLOAD OF ELECTRICAL CIRCUITS; DAMAGED OR POORLY MAINTAINED ELECTRICAL EQUIPMENT, CABLES AND LEADS; DAMAGED ELECTRICAL SWITCHES, SOCKETS AND CONTROLS; WATER NEAR ELECTRICAL EQUIPMENT; AND LACK OF ISOLATION PROCEDURES.
142424.11	CHEMICALS.	EXPOSURE TO CHEMICALS THROUGH THE OPERATION OF THIS PARTS WASHER CAN CAUSE IRRITATION TO THE EYES, NOSE, THROAT AND SKIN. WHILE PROLONGED EXPOSURE CAN CAUSE IRREVERSIBLE DAMAGE AND EVEN DEATH.
142424.15	AUTOMATIC & REMOTELY OPERATED MACHINERY	OPERATORS AND BYSTANDERS CAN BE INJURED DUE TO THE PARTS WASHER STARTING AUTOMATICALLY AND/OR BEING REMOTELY OPERATED AND THE LACK OF ISOLATION PROCEDURES.
142424.16	PLANT OPERATION.	THE PARTS WASHER SHOULD ONLY BE OPERATED BY COMPETENT, SKILLED AND TRAINED PERSONAL. ALL OPERATOR CONTROLS SHOULD BE CLEARLY LABELLED AND FUNCTIONING CORRECTLY AND THIS PARTS WASHER SHOULD NOT BE OPERATED WITHOUT ALL GUARDING IN PLACE AND ALL SAFETY SYSTEMS FUNCTIONING CORRECTLY.

# Hazard Register



142424.17 MAINTENANCE.

THE PARTS WASHER SHOULD ONLY BE MAINTAINED BY COMPETENT AND TRAINED PERSONNEL AND ALL ENERGY SOURCES ASSOCIATED WITH THE PARTS WASHER (ELECTRICAL, COMPRESSED AIR, MECHANICAL, ETC.) TO BE ISOLATED AND DE ENERGISED WHILE PARTS WASHER IS BEING MAINTAINED. THIS PARTS WASHER SHOULD NOT BE PUT BACK IN SERVICE WITHOUT ALL GUARDING IN PLACE AND ALL SAFETY SYSTEMS FUNCTIONING CORRECTLY.

142424.18 CLEANING AND CLEARING

THE PARTS WASHER SHOULD ONLY BE CLEANED OR HAVE BLOCKAGES REMOVED ONCE IT HAS BEEN ISOLATED FROM ALL ENERGY SOURCES AND ANY STORED ENERGY HAS BEEN RELEASED.

142424.19 INFORMATION, INSTRUCTION, TRAINING & SUPERVISION  
ALL OPERATORS, MAINTENANCE PERSONNEL AND PEOPLE REQUIRED TO WORK ON THE PARTS WASHER REQUIRE INFORMATION ON THE OPERATION AND HAZARDS OF THE PARTS WASHER, INSTRUCTION AND TRAINING ON HOW TO OPERATE, CLEAN AND MAINTAIN THE PARTS WASHER AND PERSONAL SHOULD ALWAYS BE SUPERVISED WHEN OPERATING, MAINTAINING OR REQUIRED TO WORK AROUND THE PARTS WASHER.

## Health and Safety Plant Safety Purchaser Information

This plant health and safety information has been prepared by Grays for the purchaser of the plant item as required by National WHS Legislation. Whilst every effort has been made to identify all of the hazards, it should be recognised that all reasonably practicable hazards have been identified given due consideration to:

- state of knowledge about the plant item
- the availability and suitability of ways to eliminate or control the hazards
- the cost of evaluating, eliminating or controlling the hazard

Consequently, if this plant item is being purchased for use at a place of work, the purchaser is reminded of their obligations to involve and consult with employees in identifying foreseeable hazards, assess their risks and to take action to eliminate or control the risks.

In order to assess the risk, it is necessary to consider for all the identified hazards, the chance (likelihood) of something happening that would impact (consequence) on health and safety at the workplace. The following guidelines are provided to assist the purchaser in consistently carrying out an assessment of risk:

Likelihood	Consequences
<ul style="list-style-type: none"><li>• Frequency and duration of exposure</li><li>• Probability of occurrence of hazard or event (including part history of incidents)</li><li>• Possibility to avoid / minimize or limit the damage, impact or harm</li><li>• Reliability and effectiveness of existing / established systems of control</li></ul>	<ul style="list-style-type: none"><li>• Assume “worst case” injury, but also competent follow-up medical and rehabilitation support</li><li>• Consider forces or energy levels, highest belt tensions, size of gears, pulleys or other entrapment points and therefore body parts likely to be injured</li><li>• Consider sharpness of entrapment points, surrounding parts likely to exacerbate injury, and any give in the entrapment point</li><li>• Consider, will entrapment continue until plant is stopped, or can an injured part travel through the entrapment area</li><li>• Are temperatures of plant, or chemicals, likely to further injure entrapped person</li></ul>

The outcome of the risk assessment will be a prioritised list of risk control strategies and actions consistent with the following ratings:

Low risk- may be considered acceptable, where the existing controls in place are seen to be effective, requiring periodic monitoring for effectiveness.

Medium risk- considered to be unacceptable and requiring additional risk controls within medium to long term.

High risk – considered to be unacceptable and requiring action within the short to medium term.

Extreme risk – unacceptable, where immediate action required.

In all of these cases employees/operators must be made aware of the risk controls in place to protect them from the hazards.